

## Supporting Information

### Photocatalytic and Filtration Elimination of Methylene blue by Nanofibrous Polystyrene Membrane Containing TiO<sub>2</sub>Nanotube

Niko Faraji\*, Mehdi Mahmoudian\*,<sup>†</sup> ID, Asghar Zamani\*

\* Department of Nanotechnology, Faculty of Chemistry, Urmia University, Urmia, 5756151818, Iran

*Keywords:* Nano-composite membrane, Electrospinning, Titanium dioxide nanotubes, Water treatment, Photocatalysis.


<sup>†</sup>Corresponding Author:

E-mail: m.mahmoudian@urmia.ac.ir

Tel: (+98) 9143610986

**Table1.** Swelling test

membrane number	$W_s$	$W_d$	ST
M1	0.033	0.014	135.71
M2	0.028	0.013	115.38
M3	0.04	0.019	110.52
M4	0.1	0.06	66.66

**FigureS1. Contact angle****Table1.** PWF

membrane number	PWF at 0bar pressure	pwf at 0bar after one pressure period 0.5bar	PWF at 0.5bar pressure
M1	3502.8	0	168120
M2	471.95	0	31795.2
M3	0	457.82	29700
M4	0	428.92	27727.2

## References

- [R1] Supply, W.U.J.W.; Programme, S.M. Progress on drinking water and sanitation. 2014 update. *2014 World Health Organization*.
- [R2] Xue, Q.; Pan, X.; Li, X.; Zhang, J.; Guo, Q. Effective enhancement of gas separation performance in mixed matrix membranes using core/shell structured multi-walled carbon nanotube/graphene oxide nanoribbons. *Nanotechnology*, 2017. 28(6): p. 065702.
- [R3] Huang, Z.M.; Zhang, Y.Z.; Kotaki, M. A review on polymer nanofibers by electrospinning and their applications in nano-composites. *Composites science and technology*, 2003. 63(15) p. 2223-2253.
- [R4] Buchko, C.J.; Chen, L.C.; Shen, Y.; Martin, B.C. Processing and microstructural characterization of porous biocompatible protein polymer thin films. *Polymer*, 1999. 40(26): p. 7397-7407.
- [R5] Zahmatkeshan, M.; Adel, M.; Bahrami, S.; Esmaeili, F. Polymer-based nanofibers: preparation, fabrication, and applications, in *Handbook of nanofibers*. 2019, Springer. p. 215-261.
- [R6] Van Driel, B.; Kooyman, P.J.; Van den Berg, K.J. A quick assessment of the photocatalytic activity of TiO<sub>2</sub> pigments—From lab to conservation studio! *Microchemical Journal*, 2016. 126: p. 162-171.
- [R7] Su, Y.; Zhang, X.; Han, S.; Lei, L. Preparation of highly efficient photoelectrode of N–F-codoped TiO<sub>2</sub> nanotubes. *Journal of Photochemistry and Photobiology A: Chemistry*, 2008. 194(2-3): p. 152-160.
- [R8] Tahmasebpoor, R.; Babalou, A.A.; Shahrouzi, J.R. Theoretical and experimental studies on the anodic oxidation process for the synthesis of self-ordering TiO<sub>2</sub> nanotubes: Effect of TiO<sub>2</sub> nanotube lengths on photocatalytic activity. *Journal of environmental chemical engineering*, 2017. 5(1): p. 1227-1237.
- [R9] Lee, K.; Hahn, R.; Altomare, M.; Sellie, E. Intrinsic Au Decoration of Growing TiO<sub>2</sub> Nanotubes and Formation of a High-Efficiency Photocatalyst for H<sub>2</sub> Production. *Advanced materials*, 2013. 25(42): p. 6133-6137.
- [R10] Khan, S.U.M.; Al-Shahry, W.B.; Ingler Jr. Efficient photochemical water splitting by a chemically modified n-TiO<sub>2</sub>. *science*, 2002. 297(5590): p. 2243-2245.
- [R11] Kwak, S.Y.; Kim, S.H.; Kim, S.S. Hybrid organic/inorganic reverse osmosis (RO) membrane for bactericidal anti-fouling. 1. Preparation and characterization of TiO<sub>2</sub> nanoparticle self-assembled aromatic polyamide thin-film-composite (TFC) membrane. *Environmental science & technology*, 2001. 35(11): p. 2388-2394.
- [R12] Yu, S.J.; Sembelante, G.U.; Lu, S.C.; Damodar, R.A. Evaluation of the antifouling and photocatalytic properties of poly (vinylidene fluoride) plasma-grafted poly (acrylic acid) membrane with self-assembled TiO<sub>2</sub>. *Journal of Hazardous Materials*, 2012. 237: p. 10-19.
- [R13] Javed, H.M.A.; Que, W.; Ahmad, M.R.; Ali, K.; IrfanAhmad, M.; Haq, A.U.; shaema, S.K. Perspective of nanomaterials in the performance of solar cells, in *Solar cells*. 2020, Springer. p. 25-54.
- [R14] Chen, H.Y.; Zhang, T.L.; Fan, J.; Kuang, D.B.; Su, C.Y. Electrospun hierarchical TiO<sub>2</sub> nanorods with high porosity for efficient dye-sensitized solar cells. *ACS Applied Materials & Interfaces*, 5(18), 2013, pp.9205-9211.
- [R15] Dhandole, L.K.; Mahadik, M.A.; Kim, S.G.; Chung, H.S.; Seo, Y.S.; Cho, M.; Ryu, J.H.; Jang, J.S. Boosting photocatalytic performance of inactive rutile TiO<sub>2</sub> nanorods under solar light irradiation: synergistic effect of acid treatment and metal oxide co-catalysts. *ACS applied materials & interfaces*, 9(28), 2017, pp.23602-23613.
- [R16] Praveen, P.; Viruthagiri, G.; Mugundan, S.; Shanmugam, N. Structural, optical and morphological analyses of pristine titanium di-oxide nanoparticles—Synthesized via sol-gel route. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 117, 2014, pp.622-629.
- [R17] Sagadevan, S. Synthesis and electrical properties of TiO<sub>2</sub> nanoparticles using a wet chemical technique! *American Journal of Nanoscience and Nanotechnology*, Vol. 1, No. 1, pp. 27-30, 2013.
- [R18] Madani, M.; Sharifi-Sanjani, N.; Hasan-Kavtar, A.; Choghazardi, M.; Faridi-Majidi, R.; Hamouda, A.S. PS/TiO<sub>2</sub> (polystyrene/titanium dioxide) composite nanofibers with higher surface-to- volume ratio prepared by electrospinning: Morphology and thermal properties. *Polymer Engineering & Science*, 53(11), 2013, pp.2407-2412.